

## Matt Amerling

---

**From:** Stephen L. Marsh  
**Sent:** Monday, August 05, 2019 11:56 AM  
**To:** Doug L. Bolner, Jr.; Cathy Lyons  
**Subject:** FW: Technical Review Complete- Bishops Landing (WPCC-3076/19)

fyi

---

**From:** Mwale, Davison (DNREC) [REDACTED]  
**Sent:** Tuesday, July 30, 2019 2:44 PM  
**To:** Stephen L. Marsh [REDACTED]  
**Cc:** [REDACTED]  
**Subject:** Technical Review Complete- Bishops Landing (WPCC-3076/19)

Stephen

I looked through your drawings. There are only 3 minor corrections to be made. . Attend to these comments **and complete your review with Sussex County**. Once we receive one signed/sealed Sussex County-endorsed set of plans, and the same plans on a CD in a .pdf format **or** electronically via drop box, we will issue the State Wastewater Construction Permit. If a State Wastewater Permit is not issued within one (1) year of the date of this e-mail, a new application, including the review fee, will be required.

### REVIEW COMMENTS:

1. **Sheet C4.1.** A stormwater pipe crossing shown on plan sheet (221.5 LF downstream of S-78) is missing on profile
2. **Sheet C4.1.** A stormwater pipe crossing shown on plan sheet (111.5 LF upstream of S-74) is missing on profile
3. **Sheet C5.1.** Precast Concrete Manhole detail (Lower left of sheet) refers to detail S-1.02. Is this the manhole frame and cover detail shown in the top middle of the sheet? If yes, label this detail as S-1.02

DNREC/OTS/Environmental Finance  
Enterprise Business Park  
Attn: Dr Davison Mwale (PhD)  
97 Commerce Way, Suite 106  
Dover, DE 19904  
Phone: 1-302-739-9941  
New Email: [Davison.Mwale@delaware.gov](mailto:Davison.Mwale@delaware.gov)

<http://www.dnrec.delaware.gov/fab/Pages/default.aspx>

*This email, including any attachments is the property of the Delaware Department of Natural Resources and Environmental Control and is intended for the sole use of the intended recipient(s). The information contained herein may include privileged or otherwise confidential information. Unauthorized review, forwarding, printing, copying, distributing, or using such information is strictly prohibited and may be unlawful. If you received this message in error, or have reason to believe you are not authorized to receive it, please promptly delete this message and notify the sender immediately.*

---

**From:** Mwale, Davison (DNREC)  
**Sent:** Monday, July 29, 2019 4:02 PM  
**To:** 'smarsh@gmbnet.com' [REDACTED]

Co [REDACTED]

**Subject:** Admin Complete- Bishops Landing (WPCC-3076/19)

Stephen

Your permit application appears complete. I will review the drawings and get back to you if I have any questions

DNREC/OTS/Environmental Finance  
Enterprise Business Park  
Attn: Dr Davison Mwale (PhD)  
97 Commerce Way, Suite 106  
Dover, DE 19904  
Phone: 1-302-739-9941  
New Email: [Davison.Mwale@delaware.gov](mailto:Davison.Mwale@delaware.gov)

<http://www.dnrec.delaware.gov/fab/Pages/default.aspx>

*This email, including any attachments is the property of the Delaware Department of Natural Resources and Environmental Control and is intended for the sole use of the intended recipient(s). The information contained herein may include privileged or otherwise confidential information. Unauthorized review, forwarding, printing, copying, distributing, or using such information is strictly prohibited and may be unlawful. If you received this message in error, or have reason to believe you are not authorized to receive it, please promptly delete this message and notify the sender immediately.*